

Notice of Allowability	Application No.	Applicant(s)	
	09/863,181	COX, WILLIAM A.	
	Examiner	Art Unit	
	Kenneth E. Peterson	3724	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the amendment received 10 July 07.
2. The allowed claim(s) is/are 13,16,50,58.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Art Unit: 3724

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Chris Garascia on 23 July 07.

The application has been amended as follows:

On line 17 of claim 13, the term "kit" has been deleted on both occurrences.

On line 27 of claim 13, after "operable", --axial—has been inserted.

At the end of claim 13, before the period, a new paragraph has been added as follows;

--wherein the second die further comprises a first end and an opposite second end positioned axially inward of the raised radial flanges, each of the first and the second ends operably axially engagable with the adjacent radial flange of the first die to limit linear translation of the second die along the second axis of rotation--.

On line 11 of claim 50, "a cross member" has been changed to –a pair of cross members--.

On line 12 of claim 50, "entire cross member" has been changed to –cross members in their entirety--.

On line 13 of claim 50, the term "kit" has been deleted on both occurrences.

Art Unit: 3724

On line 21 of claim 50, "member" has been changed to --members--.

On line 32 of claim 50, after "operably", --,axially—has been inserted.

At the end of claim 50, before the period, a new paragraph has been added as follows;

--wherein the second rotary die includes a first end and an opposite second end positioned between and operably, axially engaged with the raised radial flanges along the second axis of rotation to limit longitudinal translation of the second rotary die with respect to the first rotary die--.

On line 9 of claim 58, "a cross member" has been changed to --a pair of cross members--.

On line 11 of claim 58, the term "kit" has been deleted on both occurrences.

On line 20 of claim 58, after "operable", --axial—has been inserted.

On line 23 of claim 58, "member" has been changed to --members--.

On line 31 of claim 58, after "operable", --axial—has been inserted.

Claims 4-6,12,15,40 and 52 have been cancelled.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth E. Peterson whose telephone number is 571-272-4512. The examiner can normally be reached on Mon-Thur, 7:30-4:30.

Art Unit: 3724

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

kp



KENNETH E. PETERSON
PRIMARY EXAMINER